

LICENSE AGREEMENT
TRINITY BROADCASTING\SET FREE

masculine gender shall be deemed to include the feminine and the neuter and the singular number the plural.

This Agreement shall be governed by and construed pursuant to the laws of the State of California.

IN WITNESS WHEREOF, the parties hereto have duly executed this License Agreement as of the day and year first above written.

LICENSEE:

SET FREE CHRISTIAN FELLOWSHIP, INC.

By: _____

Title: _____

LICENSOR:

TRINITY BROADCASTING NETWORK, INC.

By: _____

Norman G. Juggert

Title: Secretary

MEMO TO: PAUL CROUCH
MATT CROUCH
FROM: BOB FOPMA
DATE: FEBRUARY 27, 1991
PAGE: 2

6. EACH INTERN FILLS OUT AN ENROLLMENT REQUEST AND RELEASE FORM ON THEIR INITIAL VISIT TO TBN. A FILE IS MADE FOR EACH INTERN CONTAINING THE RELEASE FORM, A TIME CARD, AND INTERNSHIP LOG SHEET, AND AN EVALUATION SHEET.
7. INTERNS WILL INITIALLY REPORT TO ELIZABETH, THE PRODUCTION SECRETARY. SHE WILL GIVE THEM THEIR TIME CARDS, SO THEY CAN CLOCK IN, AND WILL TELL THEM SPECIFICALLY WHERE TO REPORT. AT THE END OF THE DAY, THE INTERNS WILL CLOCK OUT AND FILL OUT THEIR LOG SHEET, MARKING DOWN SPECIFICALLY WHAT DUTIES THEY PERFORMED THAT DAY.
8. EVERY THREE MONTHS TIM TRADER AND I WILL DO WRITTEN EVALUATIONS ON THE INTERNS. THE FIRST EVALUATION WILL TAKE PLACE APRIL 15TH, AND THEN OCCUR IN THREE MONTH INTERVALS.

IT IS HOPED THAT THESE PROCEDURES WILL MAKE THE SET FREE INTERNSHIP PROGRAM BENEFICIAL FOR EVERYONE INVOLVED. IF YOU HAVE ANY QUESTIONS AND/OR COMMENTS ON THIS PROGRAM, PLEASE LET ME KNOW.

THANK YOU.

Bob Fopma

BOB FOPMA

BF/em

cc: TIM TRADER

FAXED TO PAUL CROUCH IN COLLEYVILLE - 2/27/91 at 1:45 P.M. PST

APPLICATION FOR AUTHORITY TO CONSTRUCT OR
MAKE CHANGES IN A LOW POWER TV, TV TRANSLATOR OR TV BOOSTER STATION
(Carefully read instructions before filling out form - RETURN ONLY FORM TO FCC)

For <u>Commission</u> Fee Use Only	FEE NO:	For <u>Applicant</u> Fee Use Only Is a fee submitted with this application? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If No, indicate reason therefor (check one box): <input type="checkbox"/> Nonfeeable application Fee Exempt (See 47 C.F.R. Section 1.1112) <input type="checkbox"/> Noncommercial educational licensee <input type="checkbox"/> Governmental entity
	FEE TYPE:	
	FEE AMT:	
	ID SEQ:	

For Commission Use Only

File No.

SECTION I - GENERAL INFORMATION

1. Name of Applicant International Minority TV, Inc.	Address P.O. Box C-11951		
	City Santa Ana	State CA	Zip Code 92711
	Telephone No. (include area code) (714)665-2113		

2. This application is for: (check one box)

☐ Low Power Television ☒ TV Translator ☐ TV Booster

3. Proposed Channel No. 46	4. Community to be served: City Toledo State OH.
-------------------------------	---

(c) Check one of the following boxes:

- ☐ Application for NEW station
- ☐ MAJOR change in licensed facilities; call sign: _____
- ☐ MINOR change in licensed facilities; call sign: _____
- ☒ MAJOR modification of construction permit; call sign: W57BK
- File No. of Construction Permit: BPTT-890310SC
- ☐ MINOR modification of construction permit; call sign: _____
- File No. of Construction Permit: _____
- ☐ AMENDMENT to pending application; Application file number: _____

NOTE: It is not necessary to use this form to amend a previously filed application. Should you do so, however, please submit by Sections I and VII and those other portions of the form that contain the amended information.

56025

CERTIFICATION OF PREFERENCES

MINORITY

☒ Yes ☐ No

The applicant certifies that it is entitled to and seeks to claim minority preference.

If yes, complete the following:

Name	Address	Percentage Interest in the applicant	Minority Group
Jane Duff	16052 Huronrey Circle Irvine, CA 92714	33-1/3%	Black
Phillip Aguilar	320 North Anaheim Blvd. Anaheim, CA 92805	33-1/3%	Hispanic
Paul Crouch	1973 Port Chelsea Place Newport Beach, CA 92660	33-1/3%	None

DIVERSIFICATION PREFERENCE

☐ Yes ☒ No

The applicant certifies that it and/or its owners have no interest, in the aggregate, exceeding 50 percent in any media of mass communications.

If yes, DO NOT respond to questions 3 and 4.

☐ Yes ☒ No

The applicant certifies that it and/or its owners have no interest, in the aggregate, exceeding 50 percent in more than three mass communications media facilities.

☒ Yes ☐ No

The applicant certifies that it and/or its owners have no interest, in the aggregate, exceeding 50 percent in a media of mass communications in the same area to be served by the proposed station.

For Low Power TV applicants, will this station employ on a full-time basis five or more persons? ☐ Yes ☒ No

If Yes, the applicant must include an EEO program called for in the separate Broadcast Equal Employment Opportunity Report (FCC Form 396-A).

SECTION VII - CERTIFICATIONS

For new station and major change applicants only, the applicant certifies that it has or will comply with the public notice requirement of 47 C.F.R. Section 73.3580(g). ☒ Yes ☐ No

For applicants proposing translator rebroadcasts who are not the licensee of the primary station, the applicant certifies that written authority has been obtained from the licensee of the station whose programs are to be retransmitted. ☒ Yes ☐ No

The station proposed to be rebroadcast:			
Call Sign	City	State	Channel No.
KTBN	Santa Ana	California	40

The applicant certifies that it has contacted an authorized spokesperson for the owner of the rights to the proposed transmitter site and has obtained reasonable assurance that the site will be available for its use if this application is granted. ☒ Yes ☐ No

The person can be contacted at the following address and telephone number:

Name Mr. Bob Moore		Mailing Address or Identification	
The Land Bank		319 Madison Avenue	
City	State	ZIP Code	Telephone No. (include area code)
Toledo	Ohio	43604	(419) 531-1440

The APPLICANT hereby waives any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)


The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations, and that all exhibits are a material part hereof and incorporated herein.

The APPLICANT represents that this application is not filed for the purpose of impeding, obstructing, or delaying administration on any other application with which it may be in conflict.

In accordance with 47 C.F.R. Section 1.65, the APPLICANT has a continuing obligation to advise the Commission, through amendments, of any substantial and significant changes in information furnished.

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND IMPRISONMENT.
U.S. CODE, TITLE 18, SECTION 1001.

I certify that the statements in this application are true, complete and correct to the best of my knowledge and belief, and are made in good faith.

Name of Applicant	Signature
National Minority TV, Inc.	 56027
Director	Date
	April , 1991

ENGINEERING REPORT

NATIONAL MINORITY TELEVISION, INC.

PROPOSED TELEVISION TRANSLATOR W57BK
CHANNEL 46 - TOLEDO, OHIO
[MODIFICATION OF BPTT-890310SC]

MARCH, 1991

CONTENTS

EXHIBIT A	Engineering Statement
EXHIBIT B	Site Location Map
EXHIBIT C	Elevation of Antenna Structure
EXHIBIT D	Terrain and Contour Data
EXHIBIT E	Predicted Service Contours
EXHIBIT F	Allocation Study Data

FCC FORM 346, Section II

EXHIBIT A

ENGINEERING STATEMENT

The engineering data contained herein have been prepared on behalf of NATIONAL MINORITY TELEVISION, INC., permittee of Television Translator W57BK, Channel 57, Toledo, Ohio, in support of its application for modification of Construction Permit BPTT-890310SC to specify a new transmitter site, antenna, and operating channel.

W57BK is presently authorized to operate with a directional antenna from a site located west of Toledo, but the permittee has lost approval to locate its transmitting antenna at this site. Unfortunately, since the grant of the W57BK Construction Permit, an applicant has filed for and received authorization to operate on Channel 64 in Toledo. That authorization effectively precludes a move by W57BK to a new transmitting location. The instant application seeks to change operation to Channel 46 and transmit from a new site.

The proposed site is plotted in Exhibit B. There exists at this site a 429-foot nonbroadcast communications tower. It is proposed to mount a standard Scala omnidirectional antenna on the side of this tower, as shown in Exhibit C. Exhibit D is a tabulation of terrain and contour data for the proposed facility. These data were used in the preparation of Exhibit E, a map upon which the predicted service contours are plotted. A detailed, computerized allocation study concludes that this translator can operate as proposed without causing calculated interference to any authorized or proposed television service.

EXHIBIT A

Since no change in the overall height or location of the approved tower is proposed, the FAA has not been notified of this application. The FAA issued a Determination of No Hazard for this structure in Aeronautical Study No. 88-AGL-1591-OE.

Now that the FCC considers the possible biological effects of RF transmissions in its environmental determinations, we have studied the matter with respect to the instant proposal. Assuming an effective radiated power of 4.7 kw (average visual ERP plus aural ERP [assumed to be 20 percent of peak visual ERP]), an effective antenna height of 128 meters above ground, and an antenna vertical relative field value of 10 percent at the steeper vertical angles (from *OST Bulletin No. 65*), we calculated the maximum power density to be 0.000097 mw/cm^2 at the base of the tower. Since this is significantly less than one percent of the 2.2 mw/cm^2 allowable power density for a facility operating on Channel 46 (662-668 MHz), a grant of this proposal would clearly qualify as a minor environmental action with respect to non-ionizing electromagnetic radiation.

I declare under penalty of perjury that the foregoing statements and the attached exhibits, which were prepared by me or under my immediate supervision, are true and correct to the best of my knowledge and belief.




KEVIN T. FISHER


March 29, 1991

EXHIBIT B

ELMORE QUADRANGLE
OHIO
7.5 MINUTE SERIES (TOPOGRAPHIC)



NOT TO SCALE



NOTE: Due to rounding, metric figures may not add correctly.

SITE COORDINATES:

41° 29' 17"

83° 19' 25"

EXHIBIT C

TOLEDO, OH

EXHIBIT D

TERRAIN AND CONTOUR DATA

NATIONAL MINORITY TELEVISION, INC.
 PROPOSED TELEVISION TRANSLATOR W57BK
 CHANNEL 46 - TOLEDO, OHIO
 [MODIFICATION OF BPTT-890310SC]


Azimuth (° T)	Avg. Elev. 2 to 10 Miles* (feet AMSL)	Effective Antenna Height (feet AAT)	ERP (dbk)	Mileage to Predicted Contour	
				74 dbμ	64 dbμ
0	593	446	9.0	10.1	17.7
45	580	459	9.0	10.3	17.9
90	593	446	9.0	10.1	17.7
135	600	439	9.0	10.0	17.6
180	642	397	9.0	9.4	16.9
225	636	403	9.0	9.5	17.0
270	619	420	9.0	9.7	17.3
315	600	439	9.0	10.0	17.6

* Determined by computer (NGDC data base)

Antenna radiation center above mean sea level	1039 feet
Effective radiated power	7.9 kw
Antenna make and model	Scala SL-8
Orientation	Omnidirectional

Geographic Coordinates

North latitude: 41° 29' 17"
 West longitude: 83° 19' 25"



56033
EXHIBIT E

March 28, 1991

Detailed LPTV/TV Translator Interference Study

Title: NMT/TOLEDO
Channel: 46 - ERP: 8 kW
Database: FCC 02/25/91

Latitude: 41-29-17
Longitude: 83-19-25

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
W46BK	CP	MEDIA-COM TELEVISION,	46	33.1	287	41-22-45	96.8	60.17	
LORAIN	OH	BPTTL-890308NR	DA	984	82-10-27	277.6	-28	dB U/D	
DA: Bogner B24UA @ 120 deg									

W46BK 74 dBu				Proposed Facility				MAX	Clearance			
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
277.6	5.4	290.6	2.1	96.8	54.7	456.0	9.0	38.8	16.2	7.2	15.3	16.2
287.6	5.8	326.7	2.2	95.8	54.5	456.0	9.0	38.9	16.1	7.1	15.2	16.0
297.6	6.2	369.4	2.4	94.6	54.4	456.0	9.0	38.9	16.1	7.1	15.1	15.9
307.6	6.3	387.1	2.3	93.5	54.8	456.0	9.0	38.8	16.2	7.2	15.3	16.3
317.6	6.3	393.7	2.1	92.6	55.5	456.0	9.0	38.6	16.5	7.4	15.6	17.0
327.6	6.4	393.7	2.3	91.8	56.3	456.0	9.0	38.3	16.7	7.7	15.9	17.8
337.6	7.5	390.4	5.3	90.3	56.8	456.0	9.0	38.1	16.9	7.9	16.1	18.3
347.6	8.7	387.1	8.1	88.7	57.8	457.1	9.0	37.8	17.2	8.2	16.5	19.3
357.6	10.1	378.7	10.6	87.1	59.3	459.3	9.0	37.4	17.7	8.6	17.0	20.7
7.6	11.4	370.7	12.6	86.0	61.3	459.3	9.0	36.7	18.3	9.3	17.7	22.7
17.6	12.2	364.2	13.8	85.8	63.5	459.3	9.0	36.1	19.0	9.9	18.5	24.9
187.6	9.3	194.9	15.1	105.7	60.9	452.8	9.0	36.8	18.2	9.2	17.7	22.4
197.6	9.0	185.1	15.1	105.5	59.3	452.8	9.0	37.3	17.7	8.7	17.1	20.8
207.6	8.7	177.2	14.8	105.0	57.8	452.8	9.0	37.8	17.2	8.2	16.5	19.3
217.6	8.4	177.2	14.2	104.2	56.4	452.8	9.0	38.2	16.8	7.8	16.0	18.0
227.6	7.9	173.9	13.3	103.1	55.4	455.8	9.0	38.6	16.4	7.4	15.6	16.9
237.6	7.5	188.9	11.7	101.9	54.6	456.0	9.0	38.9	16.2	7.1	15.2	16.1
247.6	6.8	198.8	9.3	100.4	54.4	456.0	9.0	38.9	16.1	7.1	15.2	15.9
257.6	6.3	234.8	6.8	99.1	54.2	456.0	9.0	39.0	16.0	7.0	15.1	15.7
267.6	5.4	251.3	3.5	97.8	54.8	456.0	9.0	38.8	16.2	7.2	15.3	16.3

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
ALLOD			46 +			42-58-12	23.8	112.2	
PORT HURON	MI		I			82-25-36	204.4		
Insufficient data to predict contour									

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
W46AH	CP	REGENTS OF THE UNIV.	46 +	36.3	128	43-01-28	22.5	115.1	
PORT HURON	MI	BPTTL-830228PH	DA	741	82-27-00	203.1	-28	dB U/D	
DA: Bogner B8UC @ 194 deg									

56

W46AH 74 dBu				Proposed Facility				MAX	Clearance			
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
103.1	7.4	124.3	15.4	22.5	107.7	462.6	9.0	22.6	32.2	23.2	32.2	69.1
213.1	6.9	111.5	14.9	21.9	108.3	462.6	9.0	22.6	32.4	23.4	32.4	69.7
223.1	6.6	111.5	14.1	21.3	108.9	462.6	9.0	22.5	32.6	23.5	32.5	70.3
233.1	5.8	104.6	12.4	21.0	110.1	462.6	9.0	22.1	32.9	23.9	32.9	71.5
243.1	5.0	98.0	10.2	20.9	111.3	462.6	9.0	21.8	33.3	24.2	33.2	72.7
253.1	4.3	88.2	7.4	20.8	112.4	462.6	9.0	21.5	33.6	24.5	33.6	73.8

56034

March 28, 1991

Detailed LPTV/TV Translator Interference Study

Title: NMT/TOLEDO

Latitude: 41-29-10

Channel: 46 - ERP: 8 kW

Longitude: 83-19-25

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
W46AH	CP	REGENTS OF THE UNIV.	46 +	36.3	128	43-01-28	22.5	115.1	
PORT HURON	MI	BPTTL-830228PH	DA		741	82-27-00	203.1	-28 dB U/I	
DA: Bogner BBUC @ 194 deg									

W46AH 74 dBu				Proposed Facility				MAX	Clearance			
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
153.1	6.4	134.5	12.0	25.1	111.1	465.9	9.0	21.9	33.2	24.1	33.2	72.
163.1	7.0	131.2	13.9	24.9	109.8	465.9	9.0	22.2	32.8	23.8	32.8	71.
173.1	7.5	134.5	14.8	24.5	108.7	465.9	9.0	22.6	32.5	23.4	32.4	70.
183.1	8.0	144.7	15.3	24.0	107.6	465.8	9.0	22.9	32.2	23.1	32.1	69.
193.1	7.8	134.1	15.6	23.3	107.4	463.4	9.0	22.9	32.1	23.1	32.1	68.

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
WHME-TV LIC	L.	SUMRALL EVANGELIST	46 o	1120	1000	41-35-43	273.8	147.3	
SOUTH BEND	IN	BLCT-2590	I		1804	86-09-38	91.9	-28 dB U/I	

WHME-TV 64 dBu				Proposed Facility				MAX	Clearance			
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
91.9	43.9	1003.9	30.5	273.8	103.3	432.5	9.0	23.9	21.1	12.1	20.8	40.
101.9	43.8	997.5	30.5	269.6	104.3	429.8	9.0	23.6	21.4	12.4	21.2	41.
111.9	43.6	987.5	30.5	265.8	107.2	429.8	9.0	22.8	22.3	13.2	22.1	44.
121.9	43.5	981.0	30.5	262.6	111.6	426.5	9.0	21.4	23.6	14.6	23.4	48.
131.9	43.5	977.7	30.5	260.0	117.3	426.5	9.0	19.9	25.2	16.1	25.1	54.
141.9	43.4	971.1	30.5	258.2	123.9	426.5	9.0	18.1	27.0	17.9	26.9	61.
151.9	43.4	971.0	30.5	257.1	131.0	426.5	9.0	16.1	28.9	19.9	28.9	68.
161.9	43.5	977.7	30.5	256.6	138.5	426.5	9.0	14.0	31.0	22.0	31.0	75.
21.9	44.6	1046.6	30.5	291.5	138.5	446.2	9.0	14.2	30.8	21.8	30.8	75.
31.9	44.7	1053.1	30.5	291.1	130.7	446.2	9.0	16.4	28.7	19.6	28.6	67.
41.9	44.7	1056.4	30.5	290.0	123.3	442.9	9.0	18.3	26.7	17.7	26.6	60.
51.9	44.6	1046.8	30.5	288.1	116.6	442.9	9.0	20.2	24.9	15.8	24.8	53.
61.9	44.4	1036.7	30.5	285.4	110.9	441.0	9.0	21.7	23.3	14.3	23.1	47.
71.9	44.1	1016.9	30.5	282.0	106.8	436.3	9.0	22.9	22.1	13.1	21.9	43.
81.9	44.1	1013.9	30.5	278.1	104.1	433.1	9.0	23.7	21.3	12.3	21.1	41.

March 28, 1991

Detailed LPTV/TV Translator Interference Study

File: NMT/TOLEDO
Channel: 46 - ERP: 8 kW

Latitude: 41-29-17
Longitude: 83-19-25

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
W46BA	LIC	WESTERN NY PUBLIC BRO	46 N	6.42	662	42-05-06	77.4	212.4	
JAMESTOWN	NY	BLTT-881128IC			2135	79-17-23	260.1	-45 dB	U/D

--- W46BA 74 dBu ---				----- Proposed Facility -----				MAX		--- Clearance ---		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
220.1	9.9	486.0	8.1	79.2	204.9	456.0	9.0	-1.4	39.4	30.4	39.4	118.5
230.1	10.5	538.5	8.1	78.9	203.3	456.0	9.0	-1.1	39.1	30.1	39.1	116.9
40.1	11.2	597.5	8.1	78.5	201.9	456.0	9.0	-.8	38.8	29.8	38.8	115.5
150.1	11.3	611.0	8.1	78.0	201.2	456.0	9.0	-.6	38.7	29.6	38.7	114.8

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
WLLCC			*46	0		42-05-45	77.3	214.8	
JAMESTOWN	NY		I			79-14-40	260.1		

See NORTH POLE, NY.; Insufficient data to predict contour

Call	Auth	Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
WLYJ	LIC	CHRISTIAN COMMUNICATI	46 -	155	800	39-18-02	133.0	217.9	
CLARKSBURG	WV	BLCT-810824KE	I		1975	80-20-37	314.9	-45 dB	U/D

Horizontal polarization

--- WLYJ 64 dBu ---				----- Proposed Facility -----				MAX		--- Clearance ---		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
314.9	33.4	819.3	21.9	133.0	184.5	449.5	9.0	2.9	25.1	16.1	25.0	63.6
324.9	32.9	774.9	21.9	131.2	185.6	449.5	9.0	2.7	25.4	16.3	25.3	64.7
134.9	32.9	774.6	21.9	129.5	187.4	449.5	9.0	2.3	25.7	16.7	25.7	66.4
144.9	33.2	803.8	21.9	127.9	189.9	449.5	9.0	1.7	26.3	17.3	26.2	69.0
354.9	33.7	845.8	21.9	126.5	193.4	449.5	9.0	1.0	27.0	18.0	27.0	72.5
4.9	33.8	850.1	21.9	125.5	198.0	449.5	9.0	.0	28.0	19.0	28.0	77.1
14.9	34.7	934.7	21.9	124.4	202.9	449.5	9.0	-1.0	29.1	20.0	29.0	82.0
24.9	34.5	916.6	21.9	124.0	208.8	449.5	9.0	-2.3	30.3	21.3	30.3	87.8
124.9	33.4	817.2	21.9	141.7	220.3	439.6	9.0	-4.8	32.8	23.8	32.8	99.6
134.9	32.9	777.9	21.9	141.7	214.5	439.6	9.0	-3.6	31.6	22.6	31.6	93.8
244.9	32.7	757.9	21.9	141.4	208.9	439.6	9.0	-2.4	30.4	21.4	30.4	88.2
254.9	32.7	757.6	21.9	141.0	203.4	439.7	9.0	-1.2	29.3	20.2	29.2	82.7
164.9	32.9	771.3	21.9	140.3	198.3	442.0	9.0	-.1	28.1	19.1	28.1	77.5
274.9	32.8	767.1	21.9	139.2	193.9	442.9	9.0	.8	27.2	18.2	27.1	73.1
284.9	32.8	764.1	21.9	137.9	190.2	443.2	9.0	1.6	26.4	17.4	26.3	69.4
194.9	33.3	808.1	21.9	136.5	186.9	446.2	9.0	2.4	25.7	16.6	25.6	66.1
104.9	32.9	778.8	21.9	134.7	185.5	449.5	9.0	2.7	25.4	16.3	25.3	64.6

March 28, 1991

Detailed LPTV/TV Translator Interference Study

Title: NMT/TOLEDO Latitude: 41-29-17
Channel: 46 - ERP: 8 kW Longitude: 83-19-25

Call	Auth Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
WASAG	LIC TRAN-STAR, INC.	45 +	5.8	373	41-05-58	254.8	98.53	
FORT WAYNE	IN BLTTL 90072710	DA		1171	85-08-43	73.5	15 dB U/D	
DA: Bogner ODD890310XH @ 0 deg								

--- WASAG 74 dBu ---				----- Proposed Facility -----				MAX		--- Clearance ---		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
103.5	6.7	413.4	2.9	252.7	92.8	426.5	9.0	13.1	84.9	75.9	84.9	88.6
113.5	6.6	413.4	2.5	252.2	93.6	426.5	9.0	12.8	85.2	76.2	85.2	89.4
123.5	6.4	398.5	2.3	251.8	94.5	425.8	9.0	12.6	85.5	76.4	85.5	90.4
133.5	6.2	375.5	2.3	251.5	95.6	425.0	9.0	12.3	85.8	76.7	85.8	91.4
143.5	6.1	369.3	2.3	251.3	96.6	424.3	9.0	12.0	86.1	77.0	86.1	92.5
153.5	6.1	367.5	2.3	251.2	97.6	423.9	9.0	11.7	86.4	77.3	86.4	93.5
163.5	6.3	388.9	2.3	251.1	98.7	423.5	9.0	11.4	86.6	77.6	86.6	94.6
353.5	7.9	336.4	7.6	259.3	97.5	426.5	9.0	11.7	86.3	77.3	86.3	93.3
3.5	7.9	341.2	7.6	259.2	96.1	426.5	9.0	12.1	85.9	76.9	85.9	92.0
13.5	8.0	346.3	7.5	258.9	94.8	426.5	9.0	12.5	85.5	76.5	85.5	90.7
23.5	8.1	366.0	7.4	258.6	93.5	426.5	9.0	12.9	85.2	76.1	85.2	89.4
33.5	8.1	375.8	7.1	258.0	92.5	426.5	9.0	13.2	84.9	75.8	84.9	88.3
43.5	7.9	380.6	6.6	257.2	91.8	426.5	9.0	13.4	84.6	75.6	84.6	87.6
53.5	7.6	368.9	6.1	256.4	91.4	426.5	9.0	13.5	84.5	75.5	84.5	87.3
63.5	7.3	370.7	5.4	255.6	91.3	426.5	9.0	13.5	84.5	75.5	84.5	87.2

Call	Auth Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St FCC File No.	Zone	(kW)	HAMSL	Longitude	-from	(mi)	(mi)
C100-TV LIC		32 +	217	702	42-09-09	22.5	49.72	
WINDSOR	OK	1			82-57-05	202.8	23 dB U/D	
Horizontal polarization								

--- C100-TV 64 dBu ---				----- Proposed Facility -----				MAX		--- Clearance ---		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
202.8	33.3	699.5	23.4	22.5	16.5	462.6	9.0	65.7	30.3	21.3	30.3	11.6
212.8	33.3	701.4	23.4	3.7	17.9	462.6	9.0	63.9	32.1	23.1	32.1	13.1
222.8	33.3	705.4	23.4	350.8	21.6	456.0	9.0	59.4	36.7	27.6	36.7	16.9
232.8	33.4	708.7	23.4	343.8	26.7	452.8	9.0	53.4	42.6	33.6	42.6	21.9
242.8	33.4	708.0	23.4	341.0	32.3	452.0	9.0	46.9	49.1	40.1	49.1	27.5
252.8	33.4	711.2	23.4	340.4	38.1	450.7	9.0	40.2	55.8	46.8	55.8	33.4
152.8	33.3	702.1	23.4	64.5	38.2	459.3	9.0	40.3	55.7	46.7	55.7	33.4
162.8	33.2	691.3	23.4	65.3	32.4	459.3	9.0	46.9	49.1	40.1	49.1	27.0
172.8	33.2	692.3	23.4	66.8	26.8	459.9	9.0	53.4	42.6	33.6	42.6	22.0
182.8	33.2	692.3	23.4	54.0	21.8	461.0	9.0	59.3	36.7	27.7	36.7	17.0
352.8	33.3	701.4	23.4	41.3	17.9	461.0	9.0	64.0	32.1	23.0	32.0	13.1

March 28, 1991

Detailed LPTV/TV Translator Interference Study

Title: NMI/TOLEDO

Latitude: 41 29-17

Channel: 46 - ERP: 8 kW

Longitude: 83 19-25

Call	Auth Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone (kW)	HAMSL	Longitude	-from (mi)	(mi)	(mi)
WBSX	LIC SATELLITE TELEVISION	31 N	0.55	394	41-29-25	92.6	92.87	
ANN ARBOR	MI	BLCT-810116KF	1	2014	84-04-14	147.6	6 dB U/D	
THIS STATION AUTHORIZED SUBSCRIPTION TV - BSTCT-790920KF								

WBSX 64 dBu				Proposed Facility				MAX		Clearance		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
147.6	45.7	1087.1	30.9	328.1	26.5	449.5	9.0	53.5	25.5	16.5	25.4	13.6
157.6	45.6	1082.7	30.9	312.0	28.5	449.5	9.0	51.3	27.7	18.7	27.7	15.5
167.6	45.4	1070.7	30.9	300.4	33.4	446.2	9.0	45.5	33.5	24.5	33.5	20.5
177.6	45.1	1049.9	30.9	294.0	40.2	446.2	9.0	37.8	41.2	32.2	41.2	27.3
187.6	44.8	1030.2	30.9	291.0	47.7	446.1	9.0	30.8	48.2	39.2	48.2	34.8
197.6	44.7	1023.6	30.9	290.0	55.5	442.9	9.0	26.0	53.0	44.0	53.0	42.6
197.6	45.7	1088.1	30.9	7.4	55.3	463.9	9.0	26.4	52.6	43.6	52.6	42.1
107.6	45.8	1095.8	30.9	6.6	47.3	462.6	9.0	31.4	47.7	38.6	47.7	34.2
117.6	45.6	1079.4	30.9	2.9	39.9	462.4	9.0	38.4	40.6	31.6	40.6	26.7
127.6	45.9	1101.2	30.9	356.5	33.0	459.3	9.0	46.2	32.8	23.8	32.8	19.9
137.6	45.9	1100.3	30.9	344.6	28.1	452.8	9.0	51.7	27.3	18.3	27.2	15.1

Call	Auth Licensee name	Chan	ERP	HAAT-ft	Latitude	BR-to	Dist.	Req.
City of License	St	FCC File No.	Zone (kW)	HAMSL	Longitude	-from (mi)	(mi)	(mi)
W31AD	CP TV 31, INC.	31 N	0.55	394	41-27-40	90.6	92.87	
BEACHWOOD	OH	BPTTL-GS0308RX		1289	81-32-05	271.7	6 dB U/D	
Horizontal polarization								

W31AD 74 dBu				Proposed Facility				MAX		Clearance		
Bear.	Dist.	HAAT	ERP	Bear.	Dist.	HAAT	ERP	Field	ERP	Field	ERP	Dist.
(deg)	(mi)	(ft)	(dBk)	(deg)	(mi)	(ft)	(dBk)	(dBu)	(dBk)	(dB)	(dBk)	(mi)
271.7	5.7	557.7	-2.6	90.6	87.1	456.0	9.0	15.0	74.0	65.0	74.0	80.1
281.7	5.8	573.3	-2.6	89.9	87.2	456.0	9.0	15.0	74.1	65.0	74.1	80.1
291.7	5.8	579.9	-2.6	89.2	87.4	456.0	9.0	14.9	74.1	65.1	74.1	80.4
301.7	5.9	590.6	-2.6	88.6	87.8	457.2	9.0	14.8	74.2	65.2	74.2	80.8
311.7	5.9	593.8	-2.6	88.1	88.4	459.0	9.0	14.6	74.4	65.4	74.4	81.4
321.7	5.8	587.3	-2.6	87.7	89.2	459.3	9.0	14.4	74.7	65.6	74.7	82.1
331.7	5.8	577.4	-2.6	87.3	90.1	459.3	9.0	14.1	74.9	65.9	74.9	83.0
341.7	5.7	548.7	-2.6	87.2	91.1	459.3	9.0	13.8	75.2	66.2	75.2	84.0
351.7	5.5	515.9	-2.6	87.2	92.1	459.3	9.0	13.5	75.5	66.5	75.5	85.0
201.7	5.3	479.0	-2.6	93.7	91.2	456.0	9.0	13.8	75.3	66.2	75.3	84.1
211.7	5.1	453.6	-2.6	93.4	90.4	456.0	9.0	14.0	75.0	66.0	75.0	83.3
221.7	4.9	417.5	-2.6	93.0	89.8	456.0	9.0	14.2	74.8	65.8	74.8	82.7
231.7	4.9	410.1	-2.6	92.6	89.2	456.0	9.0	14.4	74.7	65.6	74.7	82.1
241.7	5.3	477.3	-2.6	92.3	88.3	456.0	9.0	14.6	74.4	65.4	74.4	81.3
251.7	5.5	508.5	-2.6	91.8	87.7	456.0	9.0	14.8	74.2	65.2	74.2	80.7
261.7	5.6	533.9	-2.6	91.2	87.3	456.0	9.0	14.9	74.1	65.1	74.1	80.3

SECTION 11 - ENGINEERING DATA AND ANTENNA AND SITE INFORMATION

1. Facilities requested:

Output Channel No.	Transmitter Rated Power Output	Proposed Community(ies) to be served	
46	1.0 kilowatts	City Toledo	State Ohio

Frequency Offset (check one)

☐ No offset ☐ Zero offset ☐ Plus offset ☒ Minus offset
Translator Input Channel No. Satcom 3R - Transponder 3


2. Proposed transmitting antenna location:

City near Elmore	State Ohio	County Ottawa
Address or other description of location: On side of existing communications tower, 0.4 kilometers west-northwest of intersection of Witty Road and Opfer Lentz Road.		Geographical coordinates of transmitting antenna to nearest second North Latitude West Longitude 41° 29' 17" 83° 19' 25"

Attach as an Exhibit a map or maps (preferably topographic, if obtainable, such as Geological Survey quadrangles) of the area of the proposed transmitting antenna location shown drawn thereon the following data:

Exhibit No.
B

- a. Scale of kilometers
b. Proposed transmitting antenna location accurately plotted.

3. Transmitter:	Make ITS	Type No. 230		Output Power P 1.0 kilowatts
4. Transmission line:	Andrew	HJ7-50A	Length 450 feet	Rated efficiency E for length given (decimal fraction) 0.562

5. Transmitting antenna ☐ Directional "off-the-shelf" ☐ Directional Composite (Multiple Antennas) ☒ Non-Directional

Manufacturer Scala		Model SL-8		Description ¹ Slotted cylinder
Orientation of main lobe ²	Overall antenna structure height above ground ³	Elevation of Site ⁴	Power gain G (multiplier) in the horizontal lobe of maximum radiation relative to a halfwave dipole ⁵	
Omnidirectional	131 meters	189 meters	14.06	

Effective radiated power (ERP)

ERP = P X E X G 7.9 kilowattsHeight of antenna radiation center above ground 128 metersHeight of antenna radiation center above above mean sea level 317 meters⁶

1 Give basic type using general descriptive terms such as half-wave dipole, "bow-tie" with screen, corner reflector, 10 element Yagi, 4 element in-phase array, two stacked 5 element Yagis, etc.

2 For directional antennas in the horizontal plane show the direction of the main radiation lobe(s) in degrees with respect to true north in a 360 degree horizontal azimuth, numbered clockwise, with true north as zero azimuth.

3 Show overall height above ground in meters to topmost portion of structure, including highest top mounted antenna and beacon if any.

4 Show the ground elevation above mean sea level in meters at the base of the transmitting antenna supporting structure.

5 Give the actual power gain toward the radio horizon.

6 This is equal to the sum of the site elevation and the height of the antenna radiation center above ground.

Section 11 (Page 2)

6. Attach as an Exhibit a vertical plan sketch for the proposed total antenna structure, including supporting structure, giving overall height of structure in meters above ground, including lighting beacon (if any).

Exhibit No.
C

7. Will the proposed antenna supporting structure be shared with an AM radio station?

☐ Yes ☒ No

If yes, list the call sign of that station.

Does not apply

8. Attach as an Exhibit a polar diagram of the radiation pattern (relative field) in the horizontal plane of the transmitting antenna showing clearly the correct relationship between the major lobe or lobes and the minor lobes of radiation, and a tabulation of the pattern at every ten degrees and all maxima and minima. Applicants proposing use of multiple transmitting antennas shall submit a composite radiation pattern. If a non-directional transmitting antenna will be employed, i.e., an antenna with an approximately circular radiation pattern, check here ☒ and omit polar diagram and tabulation. If the antenna manufacturer and model number are on the Commission's list of common "off-the-shelf" directional antennas, check here ☐ and omit polar diagram and tabulation.

Exhibit No.
--

9. Has FAA been notified of proposed construction? No change in overall height or location of existing structure. Determination of No Hazard under 88-AGL-1591-0E.

☐ Yes ☒ No

10. Environmental Statement (See 47 CFR. Section 1.1301 et seq)

Would a Commission grant of this application come within 47 CFR. 1.1307, such that it may have a significant environmental impact, including exposure to workers or the general public to harmful nonionizing radiation levels?

☐ Yes ☒ No

If you answer Yes, submit as an Exhibit an Environmental Assessment as required by Section 1.1311. If no, explain briefly why not.

Exhibit No.
--

Proposal is believed to comply with pertinent provisions of §1.1305, §1.1306, and §1.1307 of FCC Rules (see also Exhibit A of Engineering Report).

11. Unattended operation:

Is unattended operation proposed?

☒ Yes ☐ No

If Yes, and this application is for authority to construct a new station or to make changes in the facilities of an authorized station which proposes unattended operation for the first time, applicant will comply with the requirements of 47 CFR. Section 74.734 concerning unattended operation.

☒ Yes ☐ No

12. Is type approved broadcast equipment being specified?

☒ Yes ☐ No

If No, indicate date equipment was submitted to FCC Laboratory for approval. --

I certify that I represent the applicant in the capacity indicated below and that I have examined the foregoing statement of technical information and that it is true to the best of my knowledge and belief.

March 29, 1991

Date

Signature

Typed or Printed Name

KEVIN T. FISHER

Telephone No. (include area code)

(202) 293-7742


☐ Technical Director

☐ Registered Professional Engineer

☒ Consulting Engineer

☐ Chief Operator

☐ Other (specify)



**NATIONAL
MINORITY
TELEVISION
INC.**

P.O. Box C-11949, Santa Ana, CA 92711

8/20/90
Colby
plz put me 323 / do
NVTV w/ the changes
Let be filed by 10/1/90

August 17, 1990

Mr. Colby May
MAY & DUNNE CHARTERED
1000 Thomas Jefferson Street, N.W.
Suite 520
Washington, D.C. 20007

Dear Colby:

During a Board Meeting of National Minority Television, Inc., the following actions were taken:

- * The acceptance of the resignation of David P. Espinoza from the Board of Directors of National Minority Television, Inc.
- * The election of Pasotr Phillip Aguilar to the position of Vice President.
I am now the Secretary Treasurer of the corporation.

Please notify the FCC of these changes.

As always, thank you for your assistance.

Sincerely,

Jane Duff

JANE DUFF
Secretary Treasurer


JD:sd


ACTION BY WRITTEN CONSENT
OF BOARD OF DIRECTORS OF
TRANSLATOR T.V., INC.

The undersigned, being all of the directors of TRANSLATOR T.V., INC., take the following action by unanimous written consent as of January 26, 1987:

RESOLVED, the officers of this corporation are authorized and empowered to execute all documents, contracts, promissory notes and to take all action required for the acquisition and/or transfer of assets, consents, permits, licenses and authorizations for the operation of a UHF television station in the Midland/Odessa, Texas area.

RESOLVED FURTHER, that TRINITY BROADCASTING NETWORK, INC. is hereby authorized and empowered to act as accounting agent for this corporation; provided, that such authorization shall include, but shall not be limited to, the processing of donations, payment of accounts payable, the receipt of payments due this corporation and the preparation of financial statements until further written notice to the contrary is given TRINITY BROADCASTING NETWORK, INC.


Paul F. Crouch, President


Terence Hickey, Assistant Secretary


Jane Duff, Director

David Espinoza, Director

**FIRST ADDENDUM TO
TELEVISION AGREEMENT
AND
PRODUCTION AGREEMENT**

National Minority T.V., Inc., a California nonprofit corporation (herein "Producer") and Trinity Christian Center of Santa Ana, Inc., dba Trinity Broadcasting Network, a California nonprofit corporation (herein "Sponsor") are parties to a TELEVISION AGREEMENT AND PRODUCTION AGREEMENT (herein "Agreement"). The parties now desire to amend portions of the Agreement and to confirm the remaining portions as follows:

Amendments

1. Section 2, (c) Location is hereby amended to provide:

(c) Location. The Programs shall be produced at the Producer's Portland, Oregon studio and shall be broadcast from the Tustin studio facilities of the Sponsor, or such other location that the Sponsor designates.
2. Section 7, Producer's Compensation is hereby amended to provide:

7. Producer's Compensation. In consideration of the due performance by the Producer of its obligations hereunder, and of the rights herein granted by it to the Sponsor, and in full and final payment for the Announcements to be furnished by the Producer, the Sponsor shall pay to the Producer, and the Producer shall accept the compensation described on Exhibit "A" to the

**FIRST ADDENDUM
TELEVISION/PRODUCTION AGREEMENT**

Agreement for the Announcements. The Producer further agrees to accept the compensation provided for in the Producer's rate card for the Programs to be furnished by the Producer. A copy of the Producer's current rate card is attached hereto as Exhibit "One." That portion of Exhibit "A" to the Agreement that concerns Programs is hereby canceled and declared to be of no force and effect whatsoever. In the event the Producer is in debt to the Sponsor pursuant to the terms of one or more promissory notes, or pursuant to an open book account, the Sponsor shall be entitled to compensate the Producer by reducing the Producer's debt to the Sponsor under one or more of said promissory notes or said open book account. The Producer shall be entitled to specify which obligation such debt reduction shall apply to. The aforesaid application of the Producer's compensation shall not modify or otherwise alter the Producer's obligations under the terms of such promissory note or account, except to the extent that the Producer's debt is reduced by such application. The Sponsor shall provide the Producer with an accounting of such debt reduction upon request by the Producer at least once annually, with or without a request by the Producer. The Producer shall be reimbursed for any travel, lodging or other

**FIRST ADDENDUM
TELEVISION/PRODUCTION AGREEMENT**

expenses incurred by the Producer, which are approved in advance by the Sponsor and which are incurred pursuant to the terms of the Agreement and/or this FIRST ADDENDUM.

CONFIRMATION

The Sponsor and the Producer hereby confirm all of the terms and conditions of the TELEVISION AGREEMENT AND PRODUCTION AGREEMENT, which have not been amended pursuant to the terms of this FIRST ADDENDUM TO TELEVISION AGREEMENT AND PRODUCTION AGREEMENT.

IN WITNESS WHEREOF the parties have executed this Agreement.

TRINITY CHRISTIAN CENTER OF
SANTA ANA, INC.

Dated: _____

By: _____

NATIONAL MINORITY T.V., INC.

Dated: _____

By: *Jane Duff*

ACKNOWLEDGEMENT

In order to induce the Sponsor to enter into the foregoing FIRST ADDENDUM and in consideration thereof, I represent that I have read the FIRST ADDENDUM and I undertake to comply with all the provisions thereof insofar as they relate to the rendition of my services. I further agree that all Programs and Announcements that I produce or participate in shall be "works for hire" and we are hereby assigned to Trinity Christian Center of Santa Ana, Inc.

James McClellan
James McClellan



**NATIONAL
MINORITY
TELEVISION
INC.**

P.O. Box C-11949, Santa Ana, CA 92711

Dear

Enclosed are two copies of the "Spectrum Analyzer Lease" agreement for your signature.

Please retain one (1) original for your station's records (do not keep in public file) and return the other original for our records. Also, be sure to include a list of the equipment you receive along with serial numbers for each item.

Thank you for your cooperation.

Sincerely,

JANE DUFF
Director

JD:sd

Enclosure